

bay master **aluminum** single cantilever

essential parasols

Following in the shadow of the Ocean Master MAX Cantilever, the Bay Master Cantilever is modestly scaled to include smaller shapes and sizes than the larger and more robust MAX Cantilever range. Featuring a satin anodized marine finish, stainless steel hardware, aluminum struts and TUUCI's exclusive "Lift-Assist" shade deployment system, The Bay Master Single Cantilever is engineered to complement any outdoor environment.



shapes & sizes



square
ft. / m.
8.0' / 2.45
10.0' / 3.0



octagon
ft. / m.
9.0' / 2.75
11.0' / 3.4



rectangle
ft. / m.
8' x 12' / 2.45 x 3.65







features:

- a. Stainless Steel Acorn Finial
- b. Silver Delrin Hub
- c. Auto Lift Assist Piston System
- d. Auto Lift Assist Spring Locking Cam Handle
- e. Stainless Steel Screw Pocket Construction
- f. Reinforced Strut Joints
- g. Stem Cover Plate
- h. Cam Lock Lever – Allows 360° Rotation
- i. Easily Replaceable Parts



GLOBAL PARASOLS
Abbeylands, Wineham, Henfield West Sussex, BN5 9AQ
www.globalparasols.com

bay master / single cantilever

	<i>cantilever</i>	<i>sizes [ft/m]</i>	<i>mast height (open, including finial)</i>	<i>canopy height</i>	<i>flat to flat (diameter)</i>	<i>point to point (diameter)</i>	<i>table clearance</i>	<i>mast diameter</i>	<i>total height (closed)</i>	<i>folded canopy (diameter)</i>	<i>diameter (including mast)</i>
			<i>a (in/cm)</i>	<i>b (in/cm)</i>	<i>c (in/cm)</i>	<i>d (in/cm)</i>	<i>e (in/cm)</i>	<i>f (in/cm)</i>	<i>g (in/cm)</i>	<i>h (in/cm)</i>	<i>i (in/cm)</i>
	<i>octagon</i>	9.0' / 2.75m	105 / 267	86 / 218	100 / 254	108 / 274	40 / 102	3.6 / 9.2	105 / 267	20 / 51	116 / 295
		11.0' / 3.4m	105 / 267	86 / 218	121 / 307	131 / 333	30 / 76	3.6 / 9.2	105 / 267	20 / 51	138 / 351
	<i>square</i>	8.0' / 2.45m	105 / 267	90 / 229	96 / 244	96 / 244	36 / 91	3.6 / 9.2	105 / 267	18 / 46	103 / 262
		10.0' / 3.0m	105 / 267	87 / 221	120 / 305	120 / 305	19 / 48	3.6 / 9.2	105 / 267	21 / 53	127 / 323
	<i>rectangle</i>	8.0' x 12.0' 2.45m x 3.65m	105 / 267	91 / 231	96 / 244	144 / 366	20 / 51	3.6 / 9.2	105 / 267	21 / 53	103 / 262


finish options

satin anodized aluminum



satin

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



single vent

profile options



market



valance
straight



valance
scalloped

finial



acorn
aluminum

panel options



single
solid color



alternating
panels



alternating panel
& alternating
valance



alternating
panel and
matching valance

canopy options



binding

lift system



auto lift
assist system
(no telescoping)

mast finish



satin anodized
aluminum

* Double wind vent & fishtail profile only available on octagon shapes

vineyard - single cantilever

essential parasols

The Vineyard Cantilever features TUUCI's exquisite and proprietary dura-TEAK finish. This authentic teak wood finish is indistinguishable from actual teak, achieving an organic and natural design appeal while preserving its maintenance free hardwood luster. Available in a scaled down range from the more robust Plantation MAX Cantilever range, this collection will enhance any luxurious commercial or residential property and provide years of maintenance free shade service.



shapes & sizes



square
ft. / m.
8.0' / 2.45
10.0' / 3.0



octagon
ft. / m.
9.0' / 2.75
11.0' / 3.4



rectangle
ft. / m.
8'x 12' / 2.45x 3.65

finish options

aluma-TEAK finish



natural

TUUCI



features:

- a. Stainless Steel Acorn Finial
- b. Copper Delrin Hub
- c. Auto Lift Assist Piston System
- d. Auto Lift Assist Spring Locking Cam Handle
- e. Stainless Steel Screw Pocket Construction
- f. Reinforced Strut Joints
- g. Stem Cover Plate
- h. Cam Lock Lever – Allows 360° Rotation
- i. Easily Replaceable Parts



GLOBAL PARAOLS
Abbeylands, Wineham, Henfield West Sussex, BN5 9AQ
www.globalparasols.com

vineyard / single cantilever



cantilever	sizes [ft/m]	mast height (open, including finial)	canopy height	flat to flat (diameter)	point to point (diameter)	table clearance	mast diameter	total height (closed)	folded canopy (diameter)	diameter (including mast)
		a (in/cm)	b (in/cm)	c (in/cm)	d (in/cm)	e (in/cm)	f (in/cm)	g (in/cm)	h (in/cm)	i (in / cm)
octagon	9.0' / 2.75m	105 / 267	86 / 218	100 / 254	108 / 274	40 / 102	3.6 / 9.2	105 / 267	20 / 51	116 / 295
	11.0' / 3.4m	105 / 267	86 / 218	121 / 307	131 / 333	30 / 76	3.6 / 9.2	105 / 267	20 / 51	138 / 351
square	8.0' / 2.45m	105 / 267	90 / 229	96 / 244	96 / 244	36 / 91	3.6 / 9.2	105 / 267	20 / 51	103 / 262
	10.0' / 3.0m	105 / 267	87 / 221	120 / 305	120 / 305	19 / 48	3.6 / 9.2	105 / 267	21 / 53	127 / 323
rectangle	8.0' x 12.0'	105 / 267	91 / 231	96 / 244	144 / 366	20 / 51	3.6 / 9.2	105 / 267	21 / 53	103 / 262
	2.45m x 3.65m									

finish options

aluma-TEAK mast




natural

dura-TEAK struts



natural

Dimension Tolerances +2"
Dimensions shown correspond to indicated lift system
Options are subject to change without notice
Some options are only available in certain sizes and shapes



vent and pocket options



single vent

profile options



market



valance
straight



valance
scalloped

finial



acorn
aluminum

panel options



single
solid color



alternating
panels



alternating panel
& alternating
valance



alternating
panel and
matching valance

canopy
options



binding

lift system



auto lift
assist system
(no telescoping)

* Double wind vent & fishtail profile only available on octagon shapes